



FIA FORMULA 1 WORLD CHAMPIONSHIP



# 2025 CHINESE GRAND PRIX

## 21 - 23 March 2025

---

<b>From</b>	The FIA Formula One Race Director	<b>Document</b>	34
<b>To</b>	All Teams, All Officials	<b>Date</b>	21 March 2025
		<b>Time</b>	19:45

---


**Title** Event Notes - Pirelli Preview V2  
**Description** Pirelli Preview - Issue B  
**Enclosed** 25R02SHA Preview - Issue B.pdf

**Rui Marques**

**The FIA Formula One Race Director**

## Grand Prix of China 21/03-23/03/2025 (25R02SHA)

### Circuit Layout



### Compounds selection

Compound	FL	FR	RL	RR
<b>C2</b>	BW1	BW2	BW3	BW4
<b>C3</b>	CY1	CY2	CY3	CY4
<b>C4</b>	DR1	DR2	DR3	DR4
<b>Intermediate</b>	MG1	MG2	MG3	MG4
<b>Wet</b>	WB1	WB2	WB3	WB4

#### Mandatory race tyres


**C2**  
**C3**

### Prescriptions

#### Pressures & camber

	Minimum starting pressure			Expected stabilized running pressure	Camber limit
	Slicks	Intermediate	Wet		
<b>Front</b>	27.5 psi	27.0 psi	23.0 psi	≥28.5 psi	-3.00°
<b>Rear</b>	24.0 psi	26.0 psi	21.5 psi	≥25.5 psi	-1.75°

#### Cold Pressure Cooling Curve



$$P_{front} = (T - 70) \cdot 0.131 + P_{startf}$$

$$P_{rear} = (T - 70) \cdot 0.121 + P_{startr}$$

$P_{startf}$ : Minimum starting pressure on the front axle [psi]

$P_{startr}$ : Minimum starting pressure on the rear axle [psi]

$T$ : Tyre temperature [°C]

#### Maximum heating times and temperatures (tread & sidewall)

Temperature	0	60	70 (°C)
<b>Slicks</b>	max. 2h		
<b>Intermediate</b>	max. 2h		
<b>Wet</b>	No blankets allowed		

- Temperatures refer to tyre tread and side wall temperatures, not blanket or controller set-point temperatures.
- Tyres may only be heated prior to the session in which they are intended to be used.
- The temperatures apply at all times during the event.

### Tyre Notes

- Not permitted to switch tyres from their originally allocated position.
- Do not subject tyres to large deformation or heavy impact.
- Do not leave fitted tyres exposed at an air temperature lower than 10°C and/or any excessive UV emission.
- Revised prescriptions could be issued during the race weekend in accordance with TD003.
- Cut-off time for fitting tyres at an event on Sunday morning: 4 hours prior to the race start
- Heating time temperature limits apply to the actual tyre surface temperature measured with the IR gun as detailed in the TD003
- BLANKET HEATING TIME for each temperature range to be counted from the moment the blanket control unit is set to reach its targeted temperature within its correspondent interval
- Cold cooling curve temperature limits apply to the tyre side wall temperature measured with the probe as detailed in TD003

### General Notes

Teams are kindly reminded that the following will be subject to FIA checks during the event:

- Starting pressures
- Cold pressures (according to the cold pressure cooling curves)
- Re-heat pressures
- EOS Camber
- Maximum tyre temperatures and times in blankets
- Tyre swapping