

2020 BELGIAN GRAND PRIX

27 - 30 August 2020

From The FIA Formula One Technical Delegate Document 42

To The Stewards Date 30 August 2020

Time 18:45

Technical Delegate's Report

Before the race:

A symmetric and an asymmetric front wing deflection test was carried out on car numbers 16, 07 and 63.

A front wing flap deflection test was carried out on car numbers 16, 07 and 63.

A fuel sample was taken from car numbers 05, 26 and 07 and analysed during the race.

An engine oil sample was taken from car numbers 05 and 07.

On the grid it was checked that all cars had fitted their tyres when the "5-Minutes" signal was given.

On the grid it was checked that the top ten cars had fitted the tyres which they had used when doing their fastest lap in Q2.

On the grid the temperature of the LHS and RHS front and rear tyre was checked on car numbers 77, 05, 23 and 08.

On the grid the minimum tyre starting pressure of the LHS and RHS front and rear tyre was checked on all cars.

After the race:

The following cars were weighed:

Number	Car	Driver
44	Mercedes	Lewis Hamilton
77	Mercedes	Valtteri Bottas

05 33 23 04 03 31 26 10 11 18	Ferrari Red Bull Racing Honda Red Bull Racing Honda McLaren Renault Renault Renault AlphaTauri Honda AlphaTauri Honda Racing Point Mercedes Racing Point Mercedes Alfa Romeo Ferrari	Sebastian Vettel Max Verstappen Alexander Albon Lando Norris Daniel Ricciardo Esteban Ocon Daniil Kvyat Pierre Gasly Sergio Perez Lance Stroll Kimi Räikkönen
_		

The steering wheel of all classified cars has been checked.

Car number 10 was checked for the following:

- 1) Bodywork around the front wheels
- 2) Front wing height and overhang
- 3) Rear wing height and overhang
- 4) Front and rear wing width
- 5) Rear wing configuration
- 6) Rear bodywork area
- 7) Rear winglet height
- 8) Skidblock thickness
- 9) Stepped bottom
- 10) Diffuser height
- 11) Diffuser area
- 12) Overall height
- 13) Overall width

The profile of the in Article 3.3.1 of the 2020 Formula One Technical Regulations prescribed front wing section was checked on car number 10.

The minimum distance between the adjacent rear wing sections at any longitudinal vertical plane was checked on number 10.

It was confirmed for car number 10 that any vertical cross section of bodywork normal to the car centre line and situated in the volumes defined in Article 3.5.7 form one tangent continuous curve on its external surface with a radius no less than 75mm.

The concave radius of sections of the two rear wing elements which are in contact with the external air stream was checked on car number 10.

The front and rear brake air duct dimensions were checked on car number 10.

The engine high rev limit bands were checked on all cars.

The oil consumption was checked on car numbers 44, 77, 16, 33, 04, 03, 31, 11, 18 and 06.

The plenum temperature was checked on all cars.

The IVT code and calibration checksums were checked on all cars.

The IVT temperatures were checked on all cars.

The ES state of charge on-track limits were checked on all cars.

The lap energy release and recovery limits were checked on all cars.

The MGU-K power limits were checked on all cars.

The maximum MGU-K speed was checked on all cars.

The maximum MGU-K torque was checked on all cars.

The maximum MGU-H speed was checked on all cars.

The session type has been confirmed for all cars.

Chassis FIA checksum was checked on all cars taking part in the race.

The torque coordinator demands were checked on all cars.

The torque control was checked on all cars.

The rear brakes pressure control was checked on all cars.

The brake temperature warnings were checked on all cars.

The race start data of all cars have been checked.

Single clutch paddle use for the race start has been checked on all cars.

It was checked on all cars that the ES was not charged while the car was stationary in the pits.

It was checked that no car exceeded 80 km/h when leaving the formation grid prior to the start of the race.

It was verified on all cars that the MD5 checksum of the PCU8 (dash board display) used on the car matched the configuration lodged with the FiA prior to the qualifying session.

The tyre starting pressures of all cars during the race were checked.

The tyres used by all drivers during the race today have been checked.

Fuel flow meter calibration checksums were checked on all cars.

The instantaneous fuel mass flow of all cars was checked.

The fuel temperature of all cars was checked.

The total fuel mass consumed by all cars during the race was checked.

A fuel sample was taken from car number 23.

The fuel samples have been checked for density and analysed by gas chromatography.

The results of all the fuel analyses show that the fuels were the same as ones, which had been approved for use by the relevant competitors prior to the Event.

Further the density change of the fuel samples taken today was within the permitted limits.

An engine oil sample was taken from car number 10.

The engine oil samples have been analysed by FTIR spectroscopy and viscometry.

The results of the FTIR analyses show that the sampled oils were consistent with reference engine oil samples which had been approved for use by the relevant competitors prior to the Event.

All car weights and the items checked were found to be in conformity with the 2020 FIA Formula One Technical Regulations.

Jo Bauer

The FIA Formula One Technical Delegate