

## 2020 ABU DHABI GRAND PRIX

10 - 13 December 2020

---

<b>From</b>	The FIA Formula One Technical Delegate	<b>Document</b>	45
<b>To</b>	The Stewards	<b>Date</b>	13 December 2020
		<b>Time</b>	20:52

---

### Technical Delegate's Report

#### Before the race:

The following parts have been replaced today after 16:05 and before the start of the race:

#### Renault:

Car 31: LHS and RHS rear lower bodywork panel

A symmetric and an asymmetric front wing deflection test was carried out on car numbers 04 and 26.

An asymmetric front wing deflection test was carried out on car number 33.

A front wing flap deflection test was carried out on car numbers 33, 04 and 26.

A fuel sample was taken from car numbers 23, 03 and 06 and analysed during the race.

An engine oil sample was taken from car numbers 03 and 06.

On the grid it was checked that all cars had fitted their tyres when the "5-Minutes" signal was given.

On the grid it was checked that the top ten cars had fitted the tyres which they had used when doing their fastest lap in Q2.

On the grid the temperature of the LHS and RHS front and rear tyre was checked on car numbers 11 and 18.

On the grid the minimum tyre starting pressure of the LHS and RHS front and rear tyre was checked on all cars.

## After the race:

The following cars were weighed:

<b>Number</b>	<b>Car</b>	<b>Driver</b>
44	Mercedes	Lewis Hamilton
77	Mercedes	Valtteri Bottas
16	Ferrari	Charles Leclerc
33	Red Bull Racing Honda	Max Verstappen
23	Red Bull Racing Honda	Alexander Albon
55	McLaren Renault	Carlos Sainz
04	McLaren Renault	Lando Norris
03	Renault	Daniel Ricciardo
31	Renault	Esteban Ocon
10	AlphaTauri Honda	Pierre Gasly
18	Racing Point Mercedes	Lance Stroll
07	Alfa Romeo Ferrari	Kimi Räikkönen
20	Haas Ferrari	Kevin Magnussen
63	Williams Mercedes	George Russell

The steering wheel of all cars has been checked.

Car numbers 03 and 31 were checked for the following:

- 1) Bodywork around the front wheels
- 2) Front wing height and overhang
- 3) Rear wing height and overhang
- 4) Front and rear wing width
- 5) Rear wing configuration
- 6) Rear bodywork area
- 7) Rear winglet height
- 8) Skidblock thickness
- 9) Stepped bottom
- 10) Diffuser height
- 11) Diffuser area
- 12) Overall height
- 13) Overall width

The profile of the in Article 3.3.1 of the 2020 Formula One Technical Regulations prescribed front wing section was checked on car numbers 03 and 31.

The minimum distance between the adjacent rear wing sections at any longitudinal vertical plane was checked on car numbers 03 and 31

It was confirmed for car numbers 03 and 31 that any vertical cross section of bodywork normal to the car centre line and situated in the volumes defined in Article 3.5.7 form one tangent continuous curve on its external surface with a radius no less than 75mm.

The concave radius of sections of the two rear wing elements which are in contact with the external

air stream was checked on car numbers 03 and 31.

The front and rear brake air duct dimensions were checked on car numbers 03 and 31.

It was confirmed for car number 44 that the minimum weight of 746 kg was respected at all times during the race.

The engine high rev limit bands were checked on all cars.

The oil consumption was checked on car numbers 44, 77, 05, 16, 33, 23, 55, 04, 03 and 31.

The plenum temperature was checked on all cars.

The IVT code and calibration checksums were checked on all cars.

The IVT temperatures were checked on all cars.

The ES state of charge on-track limits were checked on all cars.

The lap energy release and recovery limits were checked on all cars.

The MGU-K power limits were checked on all cars.

The maximum MGU-K speed was checked on all cars.

The maximum MGU-K torque was checked on all cars.

The maximum MGU-H speed was checked on all cars.

The session type has been confirmed for all cars.

Chassis FIA checksum was checked on all cars taking part in the race.

The torque coordinator demands were checked on all cars.

The torque control was checked on all cars.

The rear brakes pressure control was checked on all cars.

The brake temperature warnings were checked on all cars.

The race start data of all cars have been checked.

Single clutch paddle use for the race start has been checked on all cars.

It was checked that no classified car exceeded 80 km/h when leaving the formation grid prior to the

start of the race.

It was verified on all cars that the MD5 checksum of the PCU8 (dash board display) used on the car matched the configuration lodged with the FIA prior to the qualifying session.

Fuel flow meter calibration checksums were checked on all cars.

The instantaneous fuel mass flow of all cars was checked.

The fuel temperature of all cars was checked.

The total fuel mass consumed by all cars during the race was checked.

A fuel sample was taken from car number 77.

The fuel samples have been checked for density and analysed by gas chromatography.

The results of all the fuel analyses show that the fuels were the same as ones, which had been approved for use by the relevant competitors prior to the Event.

Further the density change of the fuel samples taken today was within the permitted limits.

An engine oil sample was taken from car number 77.

The engine oil samples have been analysed by FTIR spectroscopy and viscometry.

The results of the FTIR analyses show that the sampled oils were consistent with reference engine oil samples which had been approved for use by the relevant competitors prior to the Event.

All car weights and the items checked were found to be in conformity with the 2020 FIA Formula One Technical Regulations.

**Jo Bauer**

**The FIA Formula One Technical Delegate**