



FEDERATION INTERNATIONALE DE L'AUTOMOBILE

Homologation N°

PH.120.22-C

08.02.2022

FICHE DE PRESENTATION DES CASQUES PREMIUM (NORME FIA 8859-2015) PRESENTATION FORM FOR PREMIUM HELMETS (FIA STANDARD 8859-2015)

1. GENERALITES / GENERAL

101. CONSTRUCTEUR / MANUFACTURER

BEIJING RODIA SPORTS MANUFACTURE CO., LTD (BRSM)

- a) Adresse / Address **NO. 1 XIWUPAI BEISISHANGCUN ZHANGZIYINGZHEN DAXING DISTRICT BEIJING 102615 CHINA**
- b) Téléphone / Phone **0086-10-80270598**
- c) E-mail / E-mail **VICKY@CHINAHelmet.COM.CN**

102. DATE DE LA FICHE DE PRESENTATION / PRESENTATION FORM DATE

Date / Date **08.02.2022**

103. PHOTO DU CASQUE / PICTURE OF THE HELMET



104. MODELE ET VERSIONS / MODEL AND VERSIONS

- a) Modèle / Model **GEMM**
- b) Type de casque / Type of helmet **Intégral / Full-face**
- c) Versions disponibles / Available versions

Nom / Name **GEMM**

Nom / Name **GEMM**

Nom / Name

Description / Description **WITH VISOR**

Description / Description **WITH PEAK**

Description / Description


A1)



B1)



C1)



Marque
Make **BRSM**

Modèle
Model **GEMM**

Homologation N°

PH.120.22-C

105. TAILLES DISPONIBLES / SIZES AVAILABLE

Tailles / Sizes

XS(53-54), S(55-56), M(57-58), L(59-60), XL(61-62), XXL(63-64)

2. DETAILS DU CASQUE / DETAILS OF THE HELMET

201. VUES / VIEWS


D1) Vue de face / Front view



D2) Vue du Côté Droite / Right Side view



D3) Vue de haut / Top view



202. NOMBRE ET POSITION DES TROUS DE VENTILATION / NUMBER AND POSITION OF VENTILATION HOLES

	Menton Chin		Top Top		Trous pour boire Drinking hole
Nombre de trous Number of holes		Five		Nine	
		Nombre de trous Number of holes		Inclus Included	Non/No

3. ACCESSOIRES DISPONIBLES / AVAILABEL ACCESSORIES

E1) Ear Muffs




E2) Peak




E3) Ventilation Holes (top) Cover




E4)



E5)



E6)



INFORMATIONS COMPLEMENTAIRES / COMPLEMENTARY INFORMATION

Ventilation Holes Cover - Fasteners

Note: Only the fasteners originally provided by the manufacturer are approved to be used with this accessory. Bolt's dimensions: M3x6

